



**Monogram.**

Refrigeration

Cooking

Ventilation

Cleaning

Specialty Refrigeration

Ladies and Gentlemen,

It is with great pleasure that we introduce our new collection of GE Monogram™ appliances. We kindly invite you to page through the inaugural edition of the Monogram catalog, to see for yourself the refreshingly daring design of products that will be appearing soon at an exclusive kitchen boutique near you. The GE Monogram™ Collection has a winning combination of design, quality and performance that will satisfy the most demanding of consumers. We are very excited about the future of Monogram™ appliances, but we're mostly excited for new Monogram™ owners like you. The kitchen of your dreams is now well within your realm of possibility.





REFRIGERATION




## REFRIGERATION

Shaped and polished to seamless perfection

## REFRIGERATION

Design excellence in stainless steel



### The authentic American refrigerators

Craftsmanship is the hallmark of The Monogram™ Collection, and this is perfectly evidenced in the exquisite quality and artistry of Monogram™ refrigerators. With its pro styling grille, premium-grade stainless steel door panels and the flexibility of customizable interior storage, the Monogram™ refrigerator transforms a standard installation space into an impressive statement of beauty and luxury.

# REFRIGERATION BUILT-IN

## Feature Highlights



» (1) Professional Styling - offers a stainless steel professional appearance with pro handles and chamfered edge.

» (2) Model ZSEB420DW - trim kit unit with black dispenser for a sophisticated integrated solution.

» (3) Spacious Interior - designed with an overhead evaporator, Monogram™ side-by-side refrigerators are among the largest-capacity built-in refrigerators available.

» (4) Advanced temperature management system with up front electronic controls delivers cool air to every shelf and door bin when sealed.

» (5) Climate Control Drawer with Express Chill, Express Thaw and Select Temp - chills in minutes, thaws in hours and helps keep foods fresh longer.

» (6) Dispenser with Proximity Sensor - designed to accommodate glassware of all sizes, from pitchers to tumblers; control graphics light up as you approach and automatically switch off once you have walked away.

» (7) Halogen-light columns extend the full length of the interior cabinet, putting all contents within easy view.

» (8) Humidity-controlled vegetable/fruits compartments and sealed snack pans help preserve the freshness of foods, keeping their flavour longer and preserving vitamins, minerals and other nutrients.

Complete features and specifications on page 47

Monogram

# REFRIGERATION FREE-STANDING

## Feature Highlights



» (1) Professional Styling - offers a stainless steel professional appearance with pro handles and chamfered edges.

» (2) 25 cu. ft. model available (ZHE25NGTESS).

» (3) Spacious Interior - Monogram side-by-side refrigerators are among the largest-capacity free-standing refrigerators available.

» (4) ClimateKeeper II system - keeps foods garden fresh longer, while protecting ice from odor transfer, with its unique dual-evaporator system (ZHE25NGTESS).

» (5) LightTouch! tall dispenser with cubed and crushed ice, water, child lock and door alarm - designed to accommodate glassware are of all sizes, from pitchers to tumblers.

» (6) Custom-Cool technology with full-extension drawer. Express Chill, Express Thaw and Select Temp functions - chills in minutes, thaws in hours and helps keep foods fresh longer.

» (7) Humidity-controlled vegetable / fruits compartments and sealed snack pans help preserve the freshness of foods, keeping their flavor longer and preserving vitamins, minerals and other nutrients.

» Slide 'n Store full-extension freezer baskets - extend 40 cm for easy loading and unloading.

» Advanced temperature management system with upfront electronic controls delivers cool, fresh air to every shelf and door bin when needed.

Complete features and specifications on page 46



COOKING




**DUAL FUEL RANGE COOKER**

Irresistible statement of high-power performance

## 48" DUAL FUEL RANGE COOKER

Original, robust and brilliantly executed



### Design, Performance, Quality

The exclusive Monogram™ 48" dual fuel range cooker is boldly styled and brilliantly executed. At the heart of your kitchen, its unique stainless steel design, functional size and superb performance gives you a perfect luxury choice for your kitchen.

# 48" DUAL FUEL RANGE COOKER

## Feature Highlights




### Cooktop configuration

6 sealed burners, one griddle

### Ovens configuration

1 large oven with 8 cooking functions and one small oven with 5 cooking functions. Oven light, bake with fan, double broil (grill) with fan, double broil (grill), broil (grill), convection baking, bake and broil (grill) with temperature adjustment, oven fan.



- » (1) Six sealed burners with different power outputs and one griddle. The burners run from 0.3 kW for delicate dishes to 4.0 kW for wok cooking, the perfect mix to satisfy your cooking needs.
- » (2) Dimensions: 95cm height, 70cm depth, 122cm width, 65cm depth cooking surface and one of the largest main oven cavity in the market, 585cm.
- » (3) Ergonomic tilted control panel with die-cast pro knobs.
- » (4) Convenient true full-extension racks.
- » (5) Large storage drawer with soft-closing feature.
- » (6) Cast-iron porcelain-enameled grates can be easily removed and washed in the dishwasher. The stainless steel griddle can be lifted and simply removed. The enameled black porcelain ovens interior allows a fast and easy cleaning.
- » (7) Cast-iron porcelain-enameled grates, exclusive design by GE.
- » (8) Optional stainless steel backsplashes, warming shelf, wok ring and stainless steel griddle cover.

Complete features and specifications on page 48



**All you need to cook as a professional chef**

Whether you're grilling, sautéing, baking, simmering, poaching or searing, the Monogram™ dual fuel range has just what you need to serve your culinary purpose. It delivers a convenient combination of cooktop and oven performance in one piece.

48" dual fuel range cooker ZDR48E6DNSS

48" pro tapered hood ZVE48TANSS

25 cu. ft. Side-by-Side refrigerator ZHE25NGTESS






48" dual fuel range cooker ZDR48E6DNSS

48" pro angle hood ZVE48PANSS

42" built-in side-by-side refrigerator ZSEP420DWSS

## RANGE COOKER & REFRIGERATORS

Examples of unique precise craftsmanship



*"I never perfected an invention that I did not think about in terms of the service it might give to others."*

THOMAS ALVA EDISON, GE FOUNDER

### **General Electric Company, 130 years of innovation and cutting-edge products**

We understand that just having a fantastic design for the new GE Monogram™ collection is not enough. Attention to detail is paramount to having a great product. For example, the dual fuel range cooker is handcrafted in Italy's Emilia-Romagna region, famous for sport cars such as Ferrari and Lamborghini and home to some of the world's most skilled craftsmen. The stainless steel cladding for our freestanding side by side refrigerators are cut, bent, folded, welded and perfected by one of the most reputable metalcrafters in Belgium; then hand assembled on to each refrigerator to ensure our customers receive Monogram™ quality every time. Attention to detail is in each and every Monogram™ appliance we make.



CLEANING





**CLEANING**

Pro design, high performance, big load capacity




**Look, size and powerful cleaning**

The Monogram™ dishwasher collection elevates this hardworking appliance to a piece of functional art. Available in a combination of different sizes, configurations and performance, the Monogram™ dishwasher respects both the quietness of your kitchen and the environment outside. A stainless steel door with pro handle can be ordered separately, or you can easily accommodate a custom panel from your favorite cabinetmaker. It is available in two heights - the standard 82cm or the extra-large 86cm tall. The XT Chef's version is the perfect option for cleaning larger items.

# CLEANING

## Features and benefits



ZDE82BBWII (\*)

ZDE86BBWII (\*)  
ZDE86BCWII (\*)

ZDE86BBWII + ZDE86BCWII (\*)



1

2

» Three versions available: 82cm height (ZDE82BBWII), standard XT 86cm height (ZDE86BBWII) or Chef's XT 86cm height (ZDE86BCWII).

» Water consumption < 10 liters (ZDE82BBWII/ZDE86BBWII).

» 46dba, 8 spray zones, 9 temperatures, sani-cycle until 75°C (ZDE86BCWII), 10 washing programs (ZDE82BBWII/ZDE86BBWII).

» Efficiency level: AAA (AAE for ZDE86BCWII).

» (1) Full integrated version, you can order the Monogram stainless steel door or a custom panel from your cabinetmaker.

» (2) Twin Pro Dishwasher: special "Twin Pro" panel kit for XT model (ZDE86BBWII/ZDE86BCWII).

» (3) Chef's version (ZDE86BCWII) available for cleaning larger items. 38cm lower basket load height.

» (4) Halogen inner lighting, memory function, Turbo Drying with Dry Sensor, low detergent consumption.

» (5) All-welded tub, container made of 18.9 stainless steel.

» (6) Knife basket (ZDE86BBWII/ZDE82BBWII).

Complete features and specifications on page 49

VENTILATION





**VENTILATION**

Powerful and easy to clean

# VENTILATION

The height of design sophistication



For a modern and more traditional type of kitchen

Monogram™ ventilation systems offer a combination of modern sophistication and innovation. The distinctive lines make a unique statement in any décor, and different levels of ventilation provide effective power for varied cooking. Two styles of hoods are available – contemporary and traditional.

# VENTILATION

## Features and benefits



ZVE48TANSS

ZVE48PANSS



- » (1) 1,515 m<sup>3</sup>/h air extraction performance: one of the most powerful in the market (ZVE48TANSS).
- » (2) Infrared warming lamps cast a warm glow over the warming shelf surface, while generating the heat necessary to keep dishes at ready-to-serve temperatures (ZVE48TANSS).
- » (2) Stainless steel utensil racks attached to the unit (ZVE48TANSS).
- » (3) The variable speed blower with auto-sensing technology provides the power necessary to capture smoke and fumes produced by high-performance cooking equipment. No need to push the button (ZVE48PANSS).
- » (4) Removable stainless steel filters can be easily detached from the hood for safe cleaning in your dishwasher (ZVE48PANSS).

» 4-speeds blowing levels.

» Halogen lights offer four varying levels of intensity, from accent to ambient, to meet different needs.

Complete features and specifications on page 50

## SPECIALTY REFRIGERATION

Wine chiller - Beverage center



### Essential for luxury living and entertaining

The Monogram™ wine chiller and beverage center are beautifully finished on all sides for a wide range of installation possibilities. The free-standing units may be built into cabinetry for an integrated look. The door swing is easily reversed as needed. The tinted glass door with soft interior lighting affords a full view of contents, while protecting wine from harmful light that accelerates the aging process.

Complete features and specifications on page 47

## REFRIGERATION

	ZCE23NGTSS	ZHE25NGTSS	ZCE23SGTSS	ZSE275GNTSS
<b>Description</b>	Free-Standing CustomStyle 5x5 Refrigerator with Dispenser	Free-Standing Side-by-Side Refrigerator with Dispenser	Free-Standing CustomStyle Side-by-Side Refrigerator with Dispenser	Free-Standing Side-by-Side Refrigerator with Dispenser
<b>Approximate Dimensions (HxDxW)</b>	1822 mm x 707 mm x 920 mm	1892 mm x 716 mm x 920 mm	1829 mm x 749 mm x 921 mm	1829 mm x 864 mm x 921 mm
<b>Capacity</b>				
Total Capacity liters, gross / net	671 / 565	719 / 549	671 / 565	785 / 645
Fresh Food liters, gross / net	418 / 391	447 / 401	418 / 391	482 / 449
Freezer Capacity liters, gross / net	253 / 174	272 / 148	253 / 174	304 / 196
<b>Fresh Food Section</b>				
ClimateKeeper system	•	ClimateKeeper 2	•	•
Dual Evaporator		•		
Multiflow Air System	•		•	•
Electronic Temperature Controls	Upfront - Touch	Upfront - Touch	Upfront - Touch	Upfront - Touch
LightTouch Dispenser	Cubes, Water, Crushed Ice	Cubes, Water, Crushed Ice	Cubes, Water, Crushed Ice	Cubes, Water, Crushed Ice
Adjustable Spillproof Glass Shelves	3, Glass	3, Glass	3, Glass	3, Glass
Slide-out, Spillproof	2	2	2	2
Snugger Clips	2	2	2	2
Del drawer	Adj. Temp.	Adj. Temp.	Adj. Temp.	Adj. Temp.
Vegetable/Fruit Crisper	Adj. Humidity	Adj. Humidity	Adj. Humidity	Adj. Humidity
Sealed Drawer	w/Full-extension	w/Full-extension	w/Full-extension	w/Full-extension
ClearLook Door Bins	4 (3 Adjustable)	5 (4 Adjustable)	4 (3 Adjustable)	4 (3 Adjustable)
Interior Light System	Tri-Level	Tri-Level	Tri-Level	Tri-Level
<b>Freezer Section</b>				
Wire Slide-out Baskets	4 (3 full-ext.)	4 (3 full-ext.)	4 (3 full-ext.)	4 (3 full-ext.)
Wire Cabinet Shelves	2	2	2	2
Wire tilt-out door bins	2 Adjustable	2 Adjustable	2 Adjustable	2 Adjustable
Door Shelves	1	1	1	1
Interior Light	Dual	Dual	Dual	Dual
<b>Appearance</b>				
New Euro Design	•	•	•	•
CustomStyle	•	•	•	•
Colors Available	Stainless Steel (304)	Stainless Steel (304)	Stainless Steel (304)	Stainless Steel (304)
Exterior Design	Fully clad in SS	Fully Clad in SS	Fully clad in SS	Fully clad in SS
Doors	Chamfered SS	Chamfered SS	Stainless Steel (304)	Stainless Steel (304)
Door handles	SS Pro Tubular & Endcaps	SS Pro Tubular & Endcaps	SS Full Length Tubular	SS Full Length Tubular
Top	Chamfered SS	Chamfered SS	Stainless Steel (304)	Stainless Steel (304)
Sides	SS Clad Panels	SS Clad Panels	SS Clad Panels	SS Clad Panels
Toekick	SS Monogram Pro	SS Monogram Pro	Black	Black
Adjustable rollers	All	All	All	All
<b>Weights &amp; Dimensions</b>				
Height To Top Of Case (mm)	1822	1892	1829	1829
Case Depth Without Door (mm)	623	623	609	791
Case Depth With Door Handle (mm)	707	716	749	864
Width (mm)	920	920	921	921
Product Weight (kg)	209	227	200	200
Approx. Shipping Weight (kg)	222	241	222	222
<b>General Features</b>				
Energy usage (kWh/year)	651	676	651	642
ISO temperature rise time (hours)	4.3	6	4.3	10
Freezing Capacity (kg/24h)	12	15	12	16
Climate Class	N (16°C - 32°C)	N (16°C - 32°C)	N (16°C - 32°C)	N (16°C - 32°C)
Noise Level (dBA)	50	46	50	52
Power	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz
Energy class	B	B	B	A

### For all models:

**Fresh Food section:** Electronic Sensors, TurboCool Setting, SmartWater Filtration System, Child Lock, Door Alarm, Quick Ice Feature, Water Filter Indicator Light, QuickSpace Shelf, Integrate Shelf Support System, 3-Stack Drawer System, Dairy Compartment (removable), Wine Caddy.

### Freezer Section:

FrostGuard Technology, Factory-installed Icemaker & Bin, 4 Star No Frost Freezer Compartment.

### Free-standing 5x5



ZCE23NGTSS



ZHE25PGTSS



ZCE23SGTSS



ZSE275GNTSS

## REFRIGERATION / SPECIALTY REFRIGERATION

	ZSE420DWSS	ZSEB420DW
<b>Description</b>	42" Built-In Side-by-Side Refrigerator with Dispenser	42" Built-In Custom Panel Side-by-Side Refrigerator with Dispenser
<b>Approximate Dimensions (HxDxW)</b>	2134 mm x 705 mm x 1067 mm	2134 mm x 683 mm x 1067 mm
<b>Capacity</b>		
Total liters	707 / 577	707 / 577
Fresh Food liters	462 / 439	462 / 439
Freezer liters	246 / 138	246 / 138
<b>Fresh Food Section</b>		
Spillproof Glass Shelves	3 Adjustable / 1 Fixed	3 Adjustable / 1 Fixed
Adjustable Door Bins	4	4
Sealed Dairy Compartment	2	2
<b>Freezer Section</b>		
Utility Baskets with Full-Extension Slides	2	2
Adjustable Wire Shelves	4	4
Adjustable Door Bins	3	5
<b>Weights &amp; Dimensions</b>		
Height To Top Of Case (mm)	2134	2134
Case Depth Without Door (mm)	606	606
Case Depth With Door Handle (mm)	705	683
Width (mm)	1067	1067
Product Weight (kg)	320	320
Approx. Shipping Weight (kg)	330	330
<b>General Features</b>		
Energy Usage (kWh/yr)	764	764
ISO temperature rise time (hours)	5.33	5.33
Freezing Capacity (kg/24h)	20	20
Climate Class	N (16°C - 32°C)	N (16°C - 32°C)
Noise Level (dBA)	50	50
Power	220-240 V/50 Hz	220-240 V/50 Hz
Energy Class	B	B

### For all models:

**Fresh Food section:** Upfront Electronic Controls with Digital Readouts, Multi-Shelf Halogen Light Tower, Multi-Shelf Air Management Tower, Clear Lexon Bins and Pans, Climate-Control Drawer and Express Chill, Express Thaw, Select Temp, Sealed Adjustable-Humidity Produce Pan with Easy-Access Lid and Full-Extension Slides, High-Humidity Sealed Produce Pan with Full-Extension Slides, Adjustable Sealed Deli Pan with Full-Extension Slides, Gallon Door Storage, Glass-Covered Butter Dish, Wine Caddy.

### Freezer Section:

Multi-Shelf Halogen Light Tower, Automatic Icemaker, Removable Ice Storage Bin.

### General Features:

Disappearing Electronic Glass Touch Dispenser Controls with Proximity Sensors, Extra-Tall Dispenser with Cubes, Crushed Ice and Chilled Water, GE SmartWater Water and Ice Filtration System, Monogram Professional Handle, Concealed Door Hinge, Four-Point Leveling System, Adjustable Door Stop (90°/130°)

	ZDWG240NBS	ZDBG240NBS
<b>Description</b>	Wine Chiller	Beverage Center
<b>Approximate Dimensions (HxDxW)</b>	866 mm x 575 mm x 598 mm	866 mm x 575 mm x 598 mm
<b>Performance</b>		
Total Capacity	57 Wine Bottles	12 Wine Bottles plus 126 33cl Cans or Total of 150 33cl Cans
Spillproof Glass Shelves	3 Removable	
Wine Racks with Full-Extension Slides	5 Full-Size / 2 Half-Size	2 Half-Size
<b>Convenience</b>		
Red or White-Wine Temperature Setting	•	
Adjustable Temperature Control	from 3.8°C - 8.8°C at 21°C Ambient	from 7°C - 13°C at 21°C Ambient
<b>Appearance</b>		
Door Color Appearance	Stainless	Stainless
Case Color	Black	Black
Toekick	Black installed, Stainless included	Black installed, Stainless included
See-Thru Glass Door	Tinted	Tinted
Cherry-Wood Shelf Fronts	7	2
<b>Weights &amp; Dimensions</b>		
Height (mm)	866-884	866-884
Depth (excluding handle, mm)	575	575
Width (mm)	598	598
Product Weight (kg)	50	50
Approx. Shipping Weight (kg)	55	55
<b>General Features</b>		
Installation options	Built-In or Free-Standing	Built-In or Free-Standing
Power	220/230V 50Hz	220/230V 50Hz

### For all models:

**Convenience:** Interior Light On/Off Switch, Stainless Steel Tubular Handle.

**General Features:** Reversible Door Swing

### 42" Built-In Side-by-Side



ZSE420DWSS



ZSEB420DW

### Wine Chiller



ZDWG240NBS

### Beverage Center



ZDBG240NBS

## COOKING

	ZDR486DNSS*
<b>Description</b>	
	48" Range Cooker with 6 Burners and Griddle
<b>Approximate Dimensions (HxDxW)</b>	
	950 mm x 700 mm x 1220 mm
<b>Cooktop Characteristics</b>	
Griddle - (1.4 - 1.95kW)	1
Sealed Burner - Large Dual Flame (0.3 - 4.0 kW)	3
Sealed Burner - Rapid Medium Size (0.75 - 3.0 kW)	1
Sealed Burner - Semirapid Small Size (0.44 - 1.75 kW)	2
Electronic Ignition	•
Cast Iron Burner Caps	•
Stainless Steel Cooktop Surface	•
Cast Iron Porcelain-Enameled Grates (d/w proof)	•
<b>Main Oven Characteristics</b>	
Capacity (liters)	71
Type	Convection
Bake Element (top)	950 W
Bake Element (bottom)	1500 W
Grill Element	1500 W
Circular / Convection Element	2400 W
Rack Positions	3
Thick Chrome Oven Racks	3 Full Extension Slides
<b>Companion Oven Characteristics</b>	
Capacity (liters)	37
Type	Conventional
Bake element (top)	600 W
Bake element (bottom)	900 W
Grill element	1350 W
Rack positions	4
Chrome oven racks	•
<b>Appearance</b>	
Control Knobs	Die Cast Metal
Fixed Control Knob Bezel	•
Oven Handles	Stainless Steel
Oven "On" and Temperature Rise Indicator Lights	•
Cool-Touch Oven Door with Dark Tinted Windows	•
Easy-Clean Enameled Oven Interior (Black Porcelain)	•
Smooth Action Oven Door Opening	•
Triple-Glass Smooth Oven Door Design	•
<b>Weights &amp; Dimensions</b>	
Overall Height (mm)	950-965
Overall Depth (mm)	700
Overall Width (mm)	1220
Interior Dimensions - Main Oven (HxDxW in mm)	325 x 435 x 585
Interior Dimensions - Companion oven cavity (HxDxW in mm)	325 x 475 x 220
Product Weight (kg)	171
Approx. Shipping Weight (kg)	233
<b>General Features</b>	
Fuel Type - Oven	Electric
Fuel Type - Cooktop	Natural Gas / Liquid propane gas
Power Cord (plug included)	Installed
Power	230V / 50 Hz
Amps at 230V	Max. 16
<b>Accessories</b>	
Optional stainless steel Griddle Cover	•
Optional Cast Iron Wok Ring	•
Optional 305mm stainless steel backsplash	ZX 12 B48 NSS
Optional 533mm stainless steel backsplash	ZX 21 B48 NSS
Optional warming shelf to fit 533mm b/s	ZX 48 WSN SS

\* ZDR48M6DNSS for Middle East

### For all models:

**Main Oven Functions:**  
Oven Lighting (2x15W), Bake with Fan, Double Grill with Fan, Double Grill, Grill, Convection baking, Bake and Grill, Oven Fan.

**Companion Oven Functions:**  
Oven Lighting (1x 15W), Double Grill, Bake, Grill, Bake with Temperature adjustment.

### 48" dual-fuel professional range



ZDR486DNSS\*

### Accessories



Warming Shelf



Wok Ring



Backsplash



Griddle Cover

## CLEANING

	ZDE828BWII*	ZDE68BWII**	ZDE66CWII**
<b>Description</b>			
	Standard Fully Integrated Dishwasher	Standard XT Fully Integrated Dishwasher	Chef's XT Fully Integrated Dishwasher
<b>Approximate Dimensions (HxDxW)</b>			
	820 mm x 570 mm x 596 mm	860 mm x 570 mm x 596 mm	860 mm x 570 mm x 596 mm
<b>Wash Programmes</b>			
Number of Programmes	10	10	6
Auto wash	•	•	
Mix wash	•	•	
1/2 Load - Upper Rack	•	•	
1/2 Load - Lower Rack	•	•	
Quick Wash	20 min	20 min	20 min
Rinse & Dry	•	•	
Sani (75C* Final Rinse)			•
<b>Special Functions</b>			
Temperatures (d)	9	9	9
Spray Zone	8	8	7
<b>Base Specification</b>			
XT - 86 cm High		•	•
<b>Upper Basket Specification</b>			
Divisible cup shelves, Knife stop/stand, foldable glass holder	•	•	
Chef's racks			•
Load Height	19 cm	23 cm	16 cm
Knife basket	•	•	
<b>Lower Basket Specification</b>			
Chef's racks			•
Load Height	31 cm	31 cm	38 cm
Wineglass Shelf			•
<b>Operating Data</b>			
Energy Efficiency, Class (A-G)	A	A	E
Cleaning Performance, Class (A-G)	A	A	A
Drying Performance, Class (A-G)	A	A	A
Standard Place Settings	12-14	12-14	6-8
Water Consumption (litres)	9.9	9.9	11
Sound Power Level (dBA)	46	46	46
<b>Construction</b>			
Tub	All-Welded	All-Welded	All-Welded
Container Material	18.9 Stainless Steel	18.9 Stainless Steel	18.9 Stainless Steel
Spray Arms	18.9 Stainless Steel	18.9 Stainless Steel	18.9 Stainless Steel
Internal Spray Pipe	18.9 Stainless Steel	18.9 Stainless Steel	18.9 Stainless Steel
Heating Element	Built-in	Built-in	Built-in
Base and Feet Material	Steel	Steel	Steel
<b>Weights &amp; Dimensions</b>			
Height (cm)	82	86	86
Depth (cm)	57	57	57
Width (cm)	59.6	59.6	59.6
Product Weight (kg)	55	55	56
Approx. Shipping Weight (kg)	67	67	68
<b>General Features</b>			
EAN Code	5414485022146	5414485022153	5414485022160
Power	220-240 V/50 Hz	220-240 V/50 Hz	220-240 V/50 Hz
Plug Type	Euro	Euro	Euro
<b>Accessories</b>			
Optional Stainless Steel Door with Pro Handle - Single Unit	ZPRO DW 01	ZPRO DW 01	ZPRO DW 01
Optional Stainless Steel Door with Pro Handle - Twin Left Unit	ZPRO DW 02L	ZPRO DW 02L	ZPRO DW 02L
Optional Stainless Steel Door with Pro Handle - Twin Right Unit	ZPRO DW 03R	ZPRO DW 03R	ZPRO DW 03R

\* ZDU828BWII with British Plug  
\*\* ZDU868BWII with British Plug  
\*\*\* ZDU866CWII with British Plug

### For all models:

**Wash Programmes:**  
Heavy wash, Normal wash, Delicate wash, Rinse & Hold.

**Special Functions:**  
Water Level Sensor, Direct Water Supply, Mix Wash Pressure System, Ultra Pan Spraying, Turbo Drying with Dry Sensor, Low Detergent Consumption, Temperature Sensor, Buzzer Feature, Salt Indicator, Rinse Aid Indicator, Remaining Time Indicator, Memory Function, Advanced Water Safety System.

**Base Specifications:**  
Self-Cleaning Filter, Spray Arm Diverter U/L, Rack, Pressure Sensor, Halogen Inner Lighting.

**Lower Basket Specifications:**  
Divisible Foldable Pins.

**Construction:**  
Anti-Block Drain Pump, Pex Hose

### Dishwashers



ZDU828BWII (\*)  
ZDU868BWII (\*)  
ZDU866CWII (\*)

(\*) Door panel sold separately




ZDU828BWII (\*)  
ZDU868BWII (\*)  
ZDU866CWII (\*)

(\*) Door panel sold separately

## VENTILATION

	ZVE48PANSS*	ZVE48TANSS**
<b>Description</b>	Pro Angle Style Hood	Pro Tapered Style Hood
<b>Approximate Dimensions (HxDxW)</b>	620 mm x 620 mm x 1218 mm	457 mm x 635 x 1218 mm
<b>Features</b>		
Stainless Steel Type	AISI 304	AISI 304
Filter Hinges	•	
Internal Blower Rating	957 m <sup>3</sup> /hr	1515 m <sup>3</sup> /hr (2 blwrs)
Auto-mode with Sensor	•	
Hood Control	4-Speed Touch	4-Speed Knob
Halogen Lamps	3	3
Light Levels	4	4
Infra-red Warming Lights		•
Stainless Steel Filter Covers	2 peripheral	
Internal Grease Filters	SS with Metal handle	Baffle
Blower Indicator Light	On control	•
SS Utensil Racks		•
<b>Noise Level</b>		
dBa at Level 1	38.6	39.3
dBa at Level 2	49.7	48.8
dBa at Level 3	56.6	55.6
dBa at Level 4	59	58.6
<b>Weights &amp; Dimensions</b>		
Cabinet Width (mm)	1218	1218
Overall Height (mm)	620	457
Overall Depth (mm)	620	635
Overall Width (mm)	1218	1218
Product Weight (kg)	40	40
Approx. Shipping Weight (kg)	52	57
<b>General features</b>		
EAN Code	5414685022207	5414685022221
Power	220-240 V/50 hz	220-240 V/50 hz
Plug type	Euro	Euro

Pro Tapered Style Hood



ZVE48TANSS\*\*

Pro Angle Style Hood



ZVU48PANSS\*

\* ZVU48PANSS with British Plug  
 \*\* ZVE48TANSS with British Plug

[www.ge-amerikaanskoelkasten.nl](http://www.ge-amerikaanskoelkasten.nl) / info tel (+31) 0183 503441